

## UNIVERSITY of LIMERICK

OLLSCOIL LUIMNIGH

Faculty of Science and Engineering

## MID-SEMESTER ASSESSMENT PAPER

MODULE CODE: MA4002SEMESTER: Spring 2010MODULE TITLE: Engineering Mathematics 2DURATION OF EXAMINATION: 45 minutesLECTURER: Dr. N. KoptevaPERCENTAGE OF TOTAL MARKS: 30%

INSTRUCTIONS TO CANDIDATES:

Write all your answers and rough work on the examination paper.

Do not write on anything else.

Under no circumstances should you use your own tables or be in possession of any writing material other than this exam paper.

## Calculators are not permitted.

Answer all questions.

To obtain maximum marks you must show all your work clearly and in detail.

The examination rules of the University apply to this midterm. Any breaches of these rules (and in particular any attempt at cheating) will result in disciplinary proceedings. For a first offence this can result in a year's suspension from the University.

Your Name: (Please print)\_\_\_\_\_

Your UL ID:\_\_\_\_\_

## ROUGH WORK

Marks

1 (a) Evaluate the indefinite integral 
$$\int \frac{3x^2 - 2}{x^{3/4}} dx$$
. 2%

(b) Calculate the area between  $y = 3^x + x^3$  and the x-axis for  $0 \le x \le 2$ . 2%

(c) Express as a definite integral and <u>evaluate</u> the limit of the Riemann sum  $\lim_{n \to \infty} \sum_{i=1}^{n} (x_i^2 + \tan(x_i^7)) \Delta x$ , where P is the partition with  $x_i = -\frac{1}{2} + \frac{i}{n}$  for i = 0, 1, ..., n and  $\Delta x \equiv x_i - x_{i-1}$ . 2%

(d) Evaluate 
$$\frac{d}{dx} \int_{x^2+2x}^{3x+2} e^{\tan(t-2)} dt$$
.

(e) Find an upper bound for the error  $E_T$  in the Trapezoidal Rule approximation of the definite integral  $\int_0^3 \sin(2x) dx$ , using *n* subintervals. Choose *n* such that  $E_T \leq 10^{-2}$ . Hint: evaluate  $M_2 \equiv \max_{x \in [0,3]} \left| \frac{d^2}{dx^2} \sin(2x) \right|$ . 2%

2 Evaluate the indefinite integral 
$$\int \sin^3 x \, \cos^2 x \, dx$$
. 4%

Marks

Marks

4 Evaluate the indefinite integral  $\int x \tan^{-1} x \, dx$ . (Hint: use integration by parts.)

5%

<u>Marks</u>

5 Perform a partial fraction expansion of  $\frac{3x+2}{x^3+2x^2}$  and then <u>evaluate the</u> <u>indefinite integral</u>  $\int \frac{3x+2}{x^3+2x^2} dx$ . 6%